Appendix B

Command Data Dictionary
1. Dictionary Layout:

ENTITY :
PROJECT :
SHORT NAME :   **PROPONENT :**
STATUS :   **STATUS DATE:**   **REVISION DATE :**
                      <entity definition>
*** <data element name>
                 <data element definition>
SHORT NAME :   **PROPONENT:**   **TYPE:**
FIELD LENGTH :   **DECIMAL LENGTH:**   **FORMAT:**

---

2. Field Definitions:

ENTITY

ENTITY	The name of an entity.
PROJECT:	The project proposing the specified entity. The initial load will reflect the same project for each entity, that is, "Command Data Model (CDM)."
SHORT NAME:	The recommended database name for the entity or data element when it is mapped directly to a physical table or a physical field. Standards on these names are evolving, so treat these as tentative in this issue.
PROPONENT:	The Corps of Engineers organization that is responsible for the definition of the entity and/or data element. The same proponent is often designated for both the entity and native data elements.
STATUS:	The level of approval that the entity has received (candidate, registered, approved).
STATUS DATE:	The date when the status, or level of approval, was granted to this entity.

REVISION DATE:

The most recent date when any of the metadata about this entity was changed. If blank, the metadata was not changed since originally entered.

<entity definition>:

The definition of the entity.

***<data element name>

The name of the data element. (Refer to Appendix C of this document, "Data Element efining and Naming Convention," for detailed nformation.)

Most data elements shown on the page(s) with a particular entity will be native, or originate from that entity, and have that entity's name repeated as the first part of the data element's name. Foreign data elements are those data elements which have migrated to that entity from the entity where they originated and do not have that entity as the first part of their data element's name. (The entity appearing in the first part of their name is the entity from which they have migrated.)

<data element definition>:

The definition of the data element.

TYPE:

There are two fields printed. The upper one indicates whether the data element is part of the primary key of the entity. Possible values are: KEY or NON-KEY.

The lower one indicates how this data element migrated to this entity. Possible values: NATIVE or FOREIGN.

FIELD LENGTH:

The maximum field LENGTH for a value of this data element. Possible values are: any numerical value or VAR for variable LENGTH text.

DECIMAL LENGTH:

The number of decimal positions in a numeric field (may be blank).

FORMAT: The format of a value for this data element.
                                                    Possible values are: NUM (numeric), CHAR
                                                    (character), and DATE.

DOMAIN NAME.   The name of the domain which defines the
                                                    acceptable values for a data element. FIELD
                                                    LENGTH, DECIMAL LENGTH, and
                                                    FORMAT are attributes of the domain. If the
                                                    domain is also constrained by a list of values, the
                                                    list is in the Domain Reference List at the back
                                                    of the Dictionary Report in this appendix.
                                                    Common and Standard Domains are discussed in
                                                    Appendix D.

3. Role Names:

In some cases, the data element name will be preceded by a role name in the format

<Data element name>.

The role name is important in the CDM where a particular data element migrates into an entity more than once. Each such occurrence of the data element is there for a purpose or has a role. An example is when there are two relationships between EMPLOYEE and VEHICLE as shown below. One employee has the role "RESPONSIBLE" and another has the role "MAINTENANCE" regarding the vehicle (Figure B-1).

EMPLOYEE

EMPLOYEE-IDENTIFIER

IS RESPONSIBLE FOR VEHICLE   MAINTAINS

VEHICLE-IDENTIFIER
RESPONSIBLE . EMPLOYEE-IDENTIFIER (FK)   MAINTENANCE . EMPLOYEE-IDENTIFIER (FK)

Figure B-1: Role Name

ENTITY   : ACCOUNTING-PHASE
PROJECT   : CDM
SHORT NAME : ACCOUNTING-PHASE   PROPONENT : CERM
STATUS   : REGISTERED   STATUS DATE : 01-MAY-90 REVISION DATE : 13-OCT-89

        A particular phase in the Governmental accounting process, e.g.,
        commitment, obligation, accounts payable.

*** ACCOUNTING-PHASE-CODE

        A code used to identify a particular phase in the Government
        accounting process, e.g., commitment, obligation.

        SHORT NAME: PROPONENT: TYPE: KEY
        FIELD LENGTH: 3   FORMAT: CHAR   NATIVE
        DOMAIN NAME: ACCOUNTING-PHASE-CODE

*** ACCOUNTING-PHASE-NAME

        The name of an ACCOUNTING-PHASE.

        SHORT NAME: PROPONENT: TYPE: NON-KEY
        FIELD LENGTH: 39   FORMAT: CHAR   NATIVE
        DOMAIN NAME: CHARACTER-39

```
ENTITY      : ADDRESSEE
PROJECT     : CDM
SHORT NAME  : ADDRESSEE                    PROPONENT : DACC/CERE
STATUS      : REGISTERED     STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90
```

A person or organization with whom the Corps of Engineers wishes to
maintain address and telephone information, e.g., customer,
contractor, etc.

*** ADDRESSEE-IDENTIFIER

A computer generated code which uniquely identifies an ADDRESSEE.

```
SHORT NAME:                          PROPONENT:                TYPE: KEY
                                                               NATIVE
DOMAIN NAME: ADDRESSEE-IDENTIFIER
```

*** ADDRESSEE-CITY-NAME

The CITY, town, or Post Office contained in the address of an
ADDRESSEE.

```
SHORT NAME:                          PROPONENT:                TYPE: NON-KEY
FIELD LENGTH: 30                        FORMAT: CHAR           NATIVE
DOMAIN NAME: ADDRESSEE-CITY-NAME
```

*** ADDRESSEE-COUNTRY-CODE

The code of a foreign country for the ADDRESSEE.

```
SHORT NAME:                          PROPONENT:                TYPE: NON-KEY
FIELD LENGTH: 2           TYPE: LIST     FORMAT: CHAR          NATIVE
DOMAIN NAME: COUNTRY-CODE
```

*** ADDRESSEE-COUNTY-NAME

The name of the county. The name may also denote parishes, burroughs,
or judicial divisions.

```
SHORT NAME:                          PROPONENT:                TYPE: NON-KEY
FIELD LENGTH: 30                        FORMAT: CHAR           NATIVE
DOMAIN NAME: COUNTY-NAME
```

*** ADDRESSEE-EXTENSION-NUMBER

A code assigned to the ADDRESSEE's WORK-PHONE-NUMBER.

```
SHORT NAME:                          PROPONENT:                TYPE: NON-KEY
FIELD LENGTH: 4                         FORMAT: CHAR           NATIVE
DOMAIN NAME: ADDRESSE-EXTENSION-NUMBER
```

*** ADDRESSEE-FACSIMILE-NUMBER

The telephone number for sending FACSIMILEs to the ADDRESSEE.

```
SHORT NAME:                          PROPONENT:                TYPE: NON-KEY
FIELD LENGTH: 20                        FORMAT: CHAR           NATIVE
DOMAIN NAME: TELECOM-ID
```

*** ADDRESSEE-HOME-PHONE-NUMBER

    The telephone number of the ADDRESSEE's residence, including
    area code.

        SHORT NAME: PROPONENT: TYPE: NON-KEY
        FIELD LENGTH: 20   FORMAT: CHAR   NATIVE
        DOMAIN NAME: TELECOM-ID

*** ADDRESSEE-LAST-UPDATE-DATE

    The day, month and year on which an ADDRESSEE was last updated.

        SHORT NAME: PROPONENT: TYPE: NON-KEY
        FIELD LENGTH: 9   FORMAT: DATE   NATIVE
        DOMAIN NAME: CALENDAR-DATE

*** ADDRESSEE-LINE-1-ADDRESS

    The first line of the mailing addres of the ADDRESSEE.

        SHORT NAME: PROPONENT: TYPE: NON-KEY
        FIELD LENGTH: 30   FORMAT: CHAR   NATIVE
        DOMAIN NAME: ADDRESS-LINE

*** ADDRESSEE-LINE-2-ADDRESS

    The second line of the mailing address of the ADDRESSEE.

        SHORT NAME: PROPONENT: TYPE: NON-KEY
        FIELD LENGTH: 30   FORMAT: CHAR   NATIVE
        DOMAIN NAME: ADDRESS-LINE

*** ADDRESSEE-NAME

    The NAME of the ADDRESSEE.

        SHORT NAME: PROPONENT: TYPE: NON-KEY
        FIELD LENGTH: 60   FORMAT: CHAR   NATIVE
        DOMAIN NAME: ADDRESSEE-NAME

*** ADDRESSEE-OFFICE-NAME

    The NAME of the OFFICE for the point of contact doing business
    with the Corps.

        SHORT NAME: PROPONENT: TYPE: NON-KEY
        FIELD LENGTH: 30   FORMAT: CHAR   NATIVE
        DOMAIN NAME: ADDRESSEE-OFFICE-NAME

*** ADDRESSEE-REPRESENTATIVE-FIRST-NAME

        SHORT NAME: PROPONENT: TYPE: NON-KEY
        FIELD LENGTH: 20   FORMAT: CHAR   NATIVE
        DOMAIN NAME: CHARACTER-20

*** ADDRESSEE-REPRESENTATIVE-LAST-NAME

The last name of the person designated as the point of contact.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 30   FORMAT: CHAR   NATIVE
DOMAIN NAME: CHARACTER-30

*** ADDRESSEE-REPRESENTATIVE-MIDDLE-NAME

The middle name of the person designated as the point of contact.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 20   FORMAT: CHAR   NATIVE
DOMAIN NAME: CHARACTER-20

*** ADDRESSEE-REPRESENTATIVE-WORK-PHONE-NUMBER

Telephone number at the residence of the ADDRESSEE's REPRESENTATIVE.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 20   FORMAT: CHAR   NATIVE
DOMAIN NAME: TELECOM-ID

*** ADDRESSEE-STATE-CODE

The STATE, territory, or province contained in the address of an
ADDRESSEE.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 2   TYPE: LIST   FORMAT: CHAR   NATIVE
DOMAIN NAME: STATE-CODE

*** ADDRESSEE-TYPE

Identifies the category or categories which a person or organization
belongs, e.g., customer, contractor, etc.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 6   FORMAT: CHAR   NATIVE
DOMAIN NAME: ADDRESSEE-TYPE

*** ADDRESSEE-WORK-PHONE-NUMBER

Telephone number at the place of employment or business of the
ADDRESSEE's REPRESENTATIVE.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 20   FORMAT: CHAR   NATIVE
DOMAIN NAME: TELECOM-ID

*** ADDRESSEE-ZIP-CODE

A code designated by the U.S. Postal Service, or a non-U.S. Postal
Service, which identifies a mail delivery zone.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 10   FORMAT: CHAR   NATIVE
DOMAIN NAME: MAIL-CODE

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

```
ENTITY     : ADDRESSEE-ROLE
PROJECT    : CDM
SHORT NAME : ADDRESSEE-ROLE          PROPONENT : DACC/CERE
STATUS     : REGISTERED   STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90
```

Entity which allows multiple ADDRESSEE's to assume multiple roles.

*** ADDRESSEE-IDENTIFIER

A computer generated code which uniquely identifies an ADDRESSEE.

SHORT NAME: PROPONENT: TYPE: KEY
                                                               FOREIGN

DOMAIN NAME: ADDRESSEE-IDENTIFIER

*** WORK-ITEM-CODE

A code that uniquely identifies a specific WORK-ITEM.

SHORT NAME: PROPONENT: TYPE: KEY
FIELD LENGTH: 6   FORMAT: CHAR   FOREIGN
DOMAIN NAME: WORK-ITEM-CODE

*** ADDRESSEE-ROLE-IDENTIFIER

Unique identifier of an ADDRESSEE-ROLE.

SHORT NAME: PROPONENT: TYPE: KEY
                                                               NATIVE

DOMAIN NAME:

*** ADDRESSEE-ROLE-TYPE

Category discriminator for the types of ROLEs which may be
assumed by an ADDRESSEE.

SHORT NAME: PROPONENT: TYPE: KEY
                                                               NATIVE

DOMAIN NAME:

ENTITY   : AGREEMENT
PROJECT   : CDM
SHORT NAME : AGREEMENT   PROPONENT : DACC/CEPR
STATUS   : REGISTERED   STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90

    A legal or formal understanding between the Corps of Engineers and one
    or more parties that delineates obligations, commitments and
    deliverables.

*** AGREEMENT-IDENTIFIER

    A unique identifier for an AGREEMENT, e.g., a CONTRACT or a local
    cooperation AGREEMENT. Because the AGREEMENT-IDENTIFIER must be
    unique within the Corps, it must be generated internally (as
    opposed to using a vendor's agreement-identifier).
    The CONTRACT identifier is formatted as follows:
    AAAAAA-BB-C-DDDD
    where
    AAAAAA is either
    DACCxx for Civil Works, with xx = MSC#, or
    DACAxx for Military Programs, with xx = MSC#, or
    IMPRST for Imprst contracts.
    BB is the last two digits of the fiscal year of the contract award.
    C is the contract type, either
    C = Contract, or
    D = Indefinite delivery type contract, or
    E = Facilities contract, or
    G = Blanket ordering agreement, or
    H = Agreements including basic agreements, or
    L = Lease agreement.
    DDDD is a sequential counter within MSC, reset each fiscal year.

    SHORT NAME: PROPONENT: TYPE: KEY
    FIELD LENGTH: 13   FORMAT: CHAR   NATIVE
    DOMAIN NAME: AGREEMENT-IDENTIFIER

*** AGREEMENT-TYPE

    The Agreement-Type indicates the category of the AGREEMENT, e.g., a
    CONTRACT or a LOCAL-COOPERATION-AGREEMENT.

    SHORT NAME: PROPONENT: TYPE: KEY
    FIELD LENGTH: 39   FORMAT: CHAR   NATIVE
    DOMAIN NAME: CHARACTER-39

*** ADDRESSEE-IDENTIFIER

    A computer generated code which uniquely identifies an ADDRESSEE.

    SHORT NAME: PROPONENT: TYPE: NON-KEY
                                                                           FOREIGN
    DOMAIN NAME: ADDRESSEE-IDENTIFIER

*** ADDRESSEE-ROLE-IDENTIFIER

    Unique identifier of an ADDRESSEE-ROLE.

    SHORT NAME: PROPONENT: TYPE: NON-KEY
                                                                           FOREIGN
    DOMAIN NAME:

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

*** ADDRESSEE-ROLE-TYPE

Category discriminator for the types of ROLEs which may be
assumed by an ADDRESSEE.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
		FOREIGN
DOMAIN NAME:		

*** WORK-ITEM-CODE

A code that uniquely identifies a specific WORK-ITEM.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 6	FORMAT: CHAR	FOREIGN
DOMAIN NAME: WORK-ITEM-CODE		

*** AGREEMENT-COMMENT

Textual information about the agreement.

SHORT NAME:		PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: VAR	TYPE: TEXT	FORMAT: CHAR	NATIVE
DOMAIN NAME: LONG-TEXT			

*** AGREEMENT-SUPPLIER-CUSTOMER-TYPE

SHORT NAME:		PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 1	TYPE: LIST	FORMAT: CHAR	NATIVE
DOMAIN NAME: SUPPLIER-CUSTOMER-TYPE			

```
ENTITY     : AGREEMENT-EXTERNAL-IDENTIFICATION
PROJECT    : CDM
SHORT NAME : AGR-EXTERNAL-IDENTIFICATION      PROPONENT : CEPR
STATUS     : CANDIDATE         STATUS DATE : 20-AUG-90 REVISION DATE :
```

        The identification of an agreement by a participating (non-Corps)
        entity such as a Federal, state, local, or individual party.

*** AGREEMENT-IDENTIFIER

        A unique identifier for an AGREEMENT, e.g., a CONTRACT or a local
        cooperation AGREEMENT. Because the AGREEMENT-IDENTIFIER must be
        unique within the Corps, it must be generated internally (as
        opposed to using a vendor's agreement-identifier).
        The CONTRACT identifier is formatted as follows:
        AAAAAA-BB-C-DDDD
        where
        AAAAAA is either
        DACCxx for Civil Works, with xx = MSC#, or
        DACAxx for Military Programs, with xx = MSC#, or
        IMPRST for Imprst contracts.
        BB is the last two digits of the fiscal year of the contract award.
        C is the contract type, either
        C = Contract, or
        D = Indefinite delivery type contract, or
        E = Facilities contract, or
        G = Blanket ordering agreement, or
        H = Agreements including basic agreements, or
        L = Lease agreement.
        DDDD is a sequential counter within MSC, reset each fiscal year.

```
    SHORT NAME:                      PROPONENT:              TYPE: KEY
    FIELD LENGTH: 13                 FORMAT: CHAR                  FOREIGN
    DOMAIN NAME: AGREEMENT-IDENTIFIER
```

*** AGREEMENT-TYPE

        The Agreement-Type indicates the category of the AGREEMENT, e.g., a
        CONTRACT or a LOCAL-COOPERATION-AGREEMENT.

```
    SHORT NAME:                      PROPONENT:              TYPE: KEY
    FIELD LENGTH: 39                 FORMAT: CHAR                  FOREIGN
    DOMAIN NAME: CHARACTER-39
```

*** AGREEMENT-EXTERNAL-IDENTIFICATION-SOURCE-IDENTIFIER

        The identifier for the AGREEMENT as given by the external
        participant.

```
    SHORT NAME:                      PROPONENT:              TYPE: KEY
                                                                  NATIVE
    DOMAIN NAME:
```

*** AGREEMENT-EXTERNAL-IDENTIFICATION-SOURCE-NAME

        The name of the source agency or individual participating in the
        AGREEMENT.

```
    SHORT NAME:                      PROPONENT:              TYPE: KEY
    FIELD LENGTH: 30                 FORMAT: CHAR                  NATIVE
    DOMAIN NAME: SOURCE-NAME
```

....

*** AGREEMENT-EXTERNAL-IDENTIFICATION-NAME

      The name of the AGREEMENT as given by the external party.

      SHORT NAME: PROPONENT: TYPE: NON-KEY
                                                                           NATIVE

      DOMAIN NAME:

ENTITY   : AGREEMENT-MILESTONE
PROJECT   : CDM
SHORT NAME : AGREEMENT-MILESTONE   PROPONENT : DACC/CEPR
STATUS   : REGISTERED   STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90

        Major events that occur during the time of an AGREEMENT.

*** AGREEMENT-IDENTIFIER

        A unique identifier for an AGREEMENT, e.g., a CONTRACT or a local
        cooperation AGREEMENT. Because the AGREEMENT-IDENTIFIER must be
        unique within the Corps, it must be generated internally (as
        opposed to using a vendor's agreement-identifier).
        The CONTRACT identifier is formatted as follows:
        AAAAAA-BB-C-DDDD
        where
        AAAAAA is either
        DACCxx for Civil Works, with xx = MSC#, or
        DACAxx for Military Programs, with xx = MSC#, or
        IMPRST for Imprst contracts.
        BB is the last two digits of the fiscal year of the contract award.
        C is the contract type, either
        C = Contract, or
        D = Indefinite delivery type contract, or
        E = Facilities contract, or
        G = Blanket ordering agreement, or
        H = Agreements including basic agreements, or
        L = Lease agreement.
        DDDD is a sequential counter within MSC, reset each fiscal year.

        SHORT NAME: PROPONENT: TYPE: KEY
        FIELD LENGTH: 13   FORMAT: CHAR   FOREIGN
        DOMAIN NAME: AGREEMENT-IDENTIFIER

*** AGREEMENT-TYPE

        The Agreement-Type indicates the category of the AGREEMENT, e.g., a
        CONTRACT or a LOCAL-COOPERATION-AGREEMENT.

        SHORT NAME: PROPONENT: TYPE: KEY
        FIELD LENGTH: 39   FORMAT: CHAR   FOREIGN
        DOMAIN NAME: CHARACTER-39

*** MILESTONE-CODE

        A unique code identifying a MILESTONE event.

        SHORT NAME: PROPONENT: TYPE: KEY
        FIELD LENGTH: 8   FORMAT: NUM   FOREIGN
        DOMAIN NAME: MILESTONE-CODE

*** MILESTONE-STANDARD-LOCAL-TYPE

        Indicates whether the MILESTONE is one from a corps standard set of
        MILESTONES, or whether the MILESTONE was created for local use.

        SHORT NAME: PROPONENT: TYPE: KEY
        FIELD LENGTH: 1   FORMAT: CHAR   FOREIGN
        DOMAIN NAME: STANDARD-LOCAL-TYPE

*** AGREEMENT-MILESTONE-ACTUAL-DATE

That date (day, month and year) that an AGREEMENT-MILESTONE is
accomplished.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 9	FORMAT: DATE	NATIVE
DOMAIN NAME: CALENDAR-DATE		

*** AGREEMENT-MILESTONE-FORECAST-DATE

The most recent estimated (projected, but not approved) date (day,
month and year) for an AGREEMENT-MILESTONE.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 9	FORMAT: DATE	NATIVE
DOMAIN NAME: CALENDAR-DATE		

*** AGREEMENT-MILESTONE-ORIGINAL-DATE

The date (day, month and year) originally scheduled for the completion
of an AGREEMENT-MILESTONE as specified in the agreement.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 9	FORMAT: DATE	NATIVE
DOMAIN NAME: CALENDAR-DATE		

*** AGREEMENT-MILESTONE-REVISED-DATE

The most recent estimated and approved date (day, month and year) for
the completion of the AGREEMENT-MILESTONE. Also known as the current
date.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 9	FORMAT: DATE	NATIVE
DOMAIN NAME: CALENDAR-DATE		

ENTITY   : AGREEMENT-MODIFICATION
PROJECT   : CDM
SHORT NAME : AGREEMENT-MODIFICATION   PROPONENT : DACC/CEPR
STATUS   : REGISTERED   STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90

        An instrument formalizing a change to the AGREEMENT, either
        unilaterally or by accord and satisfaction.

*** MODIFIED-AGREEMENT-IDENTIFIER.AGREEMENT-IDENTIFIER

        A unique identifier for an AGREEMENT, e.g., a CONTRACT or a local
        cooperation AGREEMENT. Because the AGREEMENT-IDENTIFIER must be
        unique within the Corps, it must be generated internally (as
        opposed to using a vendor's agreement-identifier).
        The CONTRACT identifier is formatted as follows:
        AAAAAA-BB-C-DDDD
        where
        AAAAAA is either
        DACCxx for Civil Works, with xx = MSC#, or
        DACAxx for Military Programs, with xx = MSC#, or
        IMPRST for Imprst contracts.
        BB is the last two digits of the fiscal year of the contract award.
        C is the contract type, either
        C = Contract, or
        D = Indefinite delivery type contract, or
        E = Facilities contract, or
        G = Blanket ordering agreement, or
        H = Agreements including basic agreements, or
        L = Lease agreement.
        DDDD is a sequential counter within MSC, reset each fiscal year.

        SHORT NAME: PROPONENT: TYPE: KEY
        FIELD LENGTH: 13   FORMAT: CHAR   FOREIGN
        DOMAIN NAME: AGREEMENT-IDENTIFIER

*** MODIFIED-AGREEMENT-IDENTIFIER.AGREEMENT-TYPE

        The Agreement-Type indicates the category of the AGREEMENT, e.g., a
        CONTRACT or a LOCAL-COOPERATION-AGREEMENT.

        SHORT NAME: PROPONENT: TYPE: KEY
        FIELD LENGTH: 39   FORMAT: CHAR   FOREIGN
        DOMAIN NAME: CHARACTER-39

*** AGREEMENT-MODIFICATION-NUMBER

        The complete modification number. Usually, a locally assigned
        string of 6 characters starting with a "P". Not used for delivery
        orders.

        SHORT NAME: PROPONENT: TYPE: KEY
        FIELD LENGTH: 10   FORMAT: CHAR   NATIVE
        DOMAIN NAME: CHARACTER-10

*** CLAIM-NUMBER

A unique alpha-numeric number assigned by office of counsel to
identify a CLAIM upon a determination by organization Federal
Government to recommend non-merit to the contracting officer
Redefined due to the fact that only accelerated claims are assigned
a claim number when the claim is submitted.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 10	FORMAT: CHAR	FOREIGN
DOMAIN NAME: CHARACTER-10		

*** AGREEMENT-MODIFICATION-AMOUNT

The total dollar amount reflected on a modification.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 14 DECIMAL LENGTH: 2	FORMAT: NUM	NATIVE
DOMAIN NAME: AMOUNT		

*** AGREEMENT-MODIFICATION-APPROVING-OFFICIAL-RECEIPT-DATE

The day, month and year the contracting officer received a specific
modification for signature.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 9	FORMAT: DATE	NATIVE
DOMAIN NAME: CALENDAR-DATE		

*** AGREEMENT-MODIFICATION-CANCELLATION-DATE

The day, month, and year identifying the date a modification is
cancelled.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 9	FORMAT: DATE	NATIVE
DOMAIN NAME: CALENDAR-DATE		

*** AGREEMENT-MODIFICATION-CANCELLATION-REASON-TEXT

Text describing the reason a modification is cancelled.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: VAR	TYPE: TEXT FORMAT: CHAR	NATIVE
DOMAIN NAME: LONG-TEXT		

*** AGREEMENT-MODIFICATION-CODE

A one-position numeric character identifying a type of modification.
Values = (1) bilateral (2) directed change (3) unpriced (4) part I
(5) administrative (6) other.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 1	FORMAT: CHAR	NATIVE
DOMAIN NAME: AGREEMENT-MOD-CODE		

*** AGREEMENT-MODIFICATION-CONTINGENCY-AMOUNT

Modification amount, increase or decrease, for contingency.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 14   DECIMAL LENGTH: 2   FORMAT: NUM   NATIVE
DOMAIN NAME: AMOUNT

*** AGREEMENT-MODIFICATION-CONTRACTOR-APPROVING-DATE

The date the contractor approves the modification.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 9   FORMAT: DATE   NATIVE
DOMAIN NAME: CALENDAR-DATE

*** AGREEMENT-MODIFICATION-GFP-GFE-ACTION-CODE

A code which indicates a GFP/GFE clause as being changed, added to, or
deleted from the CONTRACT by a specific modification.

SHORT NAME: PROPONENT: TYPE: NON-KEY
                                                                  NATIVE

DOMAIN NAME: MOD-GFP-GFE-ACTION-CODE

*** AGREEMENT-MODIFICATION-GOVERNMENT-FURNISHED-EQUIPMENT-AMOUNT

Modification amount, increase or decrease, for government furnished
equipment.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 14   DECIMAL LENGTH: 2   FORMAT: NUM   NATIVE
DOMAIN NAME: AMOUNT

*** AGREEMENT-MODIFICATION-LIQUIDATION-DAMAGE-TEXT

Text defining the damages to be assessed against the contractor
for failure to complete work as required. Example: $80.00 per day.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: VAR   TYPE: TEXT   FORMAT: CHAR   NATIVE
DOMAIN NAME: LONG-TEXT

*** AGREEMENT-MODIFICATION-MANAGEMENT-RESERVE-AMOUNT

Modification amount, increase or decrease, for management reserve.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 14   DECIMAL LENGTH: 2   FORMAT: NUM   NATIVE
DOMAIN NAME: AMOUNT

*** AGREEMENT-MODIFICATION-NEGOTIATED-MODIFICATION-NUMBER

    The modification number that relates a non-negotiated modification to
    a negotiated modification. Specifically, an unpriced change order to
    the bilateral mod or directed change that finalized the unpriced
    change order.

    SHORT NAME: PROPONENT: TYPE: NON-KEY
    FIELD LENGTH: 10   FORMAT: CHAR   NATIVE
    DOMAIN NAME: CHARACTER-10

*** AGREEMENT-MODIFICATION-NEGOTIATION-TYPE

    An indicator designating negotiation status of the modification.
    Values: 1=Negotiated, 2=Non-Negotiated

    SHORT NAME: PROPONENT: TYPE: NON-KEY
    FIELD LENGTH: 1   FORMAT: CHAR   NATIVE
    DOMAIN NAME: MOD-NEG-INDICATOR

*** AGREEMENT-MODIFICATION-SERIAL-NUMBER

    A number assigned by the design agent or construction agent to
    uniquely identify each design or construction modification or CWE
    activity.

    SHORT NAME: PROPONENT: TYPE: NON-KEY
    FIELD LENGTH: 10   FORMAT: CHAR   NATIVE
    DOMAIN NAME: CHARACTER-10

*** AGREEMENT-MODIFICATION-SIGNATURE-DATE

    The day, month and year the contracting officer signed the
    modification.

    SHORT NAME: PROPONENT: TYPE: NON-KEY
    FIELD LENGTH: 9   FORMAT: DATE   NATIVE
    DOMAIN NAME: CALENDAR-DATE

*** AGREEMENT-MODIFICATION-SUPPLEMENTAL-AGREEMENT-TYPE

    An indicator designating a modification as a supplemental AGREEMENT.

    SHORT NAME: PROPONENT: TYPE: NON-KEY
    FIELD LENGTH: 1   FORMAT: CHAR   NATIVE
    DOMAIN NAME: MOD-SUPPLEMENTAL-AGREEMENT-IND

*** AGREEMENT-MODIFICATION-SUPPORT-CONTRACT-AMOUNT

    Modification amount, increase or decrease, for support CONTRACT.

    SHORT NAME: PROPONENT: TYPE: NON-KEY
    FIELD LENGTH: 14   DECIMAL LENGTH: 2   FORMAT: NUM   NATIVE
    DOMAIN NAME: AMOUNT

*** AGREEMENT-MODIFICATION-TEXT

      Text describing the work to be accomplished. Should be brief but
      sufficiently detailed.

      SHORT NAME: PROPONENT: TYPE: NON-KEY
      FIELD LENGTH: VAR   TYPE: TEXT   FORMAT: CHAR   NATIVE
      DOMAIN NAME: LONG-TEXT

*** AGREEMENT-MODIFICATION-TIME-COMMENCEMENT-TEXT

      Text defining when the contractor is to start work on the
      modification; e.g. "Work shall start 30 calendar days after receipt
      of signed modification."

      SHORT NAME: PROPONENT: TYPE: NON-KEY
      FIELD LENGTH: VAR   TYPE: TEXT   FORMAT: CHAR   NATIVE
      DOMAIN NAME: LONG-TEXT

01/09/91   ·'   USACE ENCYCLOPEDIA
15:10:32   DATA ADMINISTRATION DICTIONARY REPORT

ENTITY   : ALLOTMENT
PROJECT   : CDM
SHORT NAME : ALLOTMENT   PROPONENT : CERM
STATUS   : REGISTERED   STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90

> A table identifying valid serial numbers and associated names used
> for distribution of funding authorizations to field operating
> activities.

*** ALLOTMENT-SERIAL-NUMBER

> A number asigned by an operating agency identifying multiple fund
> subdivisions within an APPROPRIATION.

> SHORT NAME: PROPONENT: TYPE: KEY
> FIELD LENGTH: 4   FORMAT: NUM   NATIVE
> DOMAIN NAME: ALLOTMENT-SERIAL-NUMBER

*** ALLOTMENT-SERIAL-NAME

> The name of the specific field operating activity identified by an
> ALLOTMENT SERIAL NUMBER.

> SHORT NAME: PROPONENT: TYPE: NON-KEY
> FIELD LENGTH: 59   FORMAT: CHAR   NATIVE
> DOMAIN NAME: CHARACTER-59

01/09/91 · ·   **USACE ENCYCLOPEDIA**
15:10:32   **DATA ADMINISTRATION DICTIONARY REPORT**

```
ENTITY     : APPROPRIATION-BASIC-SYMBOL
PROJECT    : CDM
SHORT NAME : APPROPRIATION-BASIC-SYMBOL      PROPONENT : CERM
STATUS     : REGISTERED      STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90
```

A table identifying the different federal accounting basic symbols and
titles authorized by Congress or others.

*** APPROPRIATION-LIMITATION-CODE

The code which breaks down an APPROPRIATION for specific purposes.
It is a suffix to the basic symbol.

SHORT NAME:	PROPONENT:	TYPE: KEY
FIELD LENGTH: 5	FORMAT: CHAR	FOREIGN
DOMAIN NAME: APPROPRIATION-LIMITATION-CODE		

*** APPROPRIATION-BASIC-SYMBOL-CODE

The basic symbol as defined by regulation which uniquely identifies
an APPROPRIATION. It is the last four digits of the APPROPRIATION.

SHORT NAME:	PROPONENT:	TYPE: KEY
FIELD LENGTH: 4	FORMAT: CHAR	NATIVE
DOMAIN NAME: APPROPRIATION-BASIC-SYMBOL-CODE		

*** DISBURSE-GLCT-APPRO-TYPE.APPROPRIATION-CLASSIFICATION-TYPE

A code which specifies whether an APPROPRIATION is civil, military
or revolving fund.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 1	FORMAT: CHAR	FOREIGN
DOMAIN NAME: APPROPRIATION-TYPE		

*** APPROPRIATION-BASIC-SYMBOL-NAME

The name that identifies or describes the APPROPRIATION-BASIC-SYMBOL.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 59	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-59		

*** APPROPRIATION-BASIC-SYMBOL-SHORT-NAME

The accepted abbreviation for an APPROPRIATION name.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 10	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-10		

```
ENTITY     : APPROPRIATION-CLASSIFICATION
PROJECT    : CDM
SHORT NAME : APPROPRIATION-CLASSIFICATION   PROPONENT : CERM
STATUS     : REGISTERED      STATUS DATE : 01-MAY-90 REVISION DATE : 08-JAN-91
```

A table of codes used to identify an APPROPRIATION as civil,
military or revolving fund.

*** APPROPRIATION-CLASSIFICATION-TYPE

A code which specifies whether an APPROPRIATION is civil, military
or revolving fund.

```
SHORT NAME:                        PROPONENT:              TYPE: KEY
FIELD LENGTH: 1                    FORMAT: CHAR            NATIVE
DOMAIN NAME: APPROPRIATION-TYPE
```

*** APPROPRIATION-CLASSIFICATION-IDENTIFICATION-NAME

The NAME of a code which identifies an APPROPRIATION as being civil,
military or revolving fund.

```
SHORT NAME:                        PROPONENT:              TYPE: NON-KEY
FIELD LENGTH: 20                   FORMAT: CHAR            NATIVE
DOMAIN NAME: CHARACTER-20
```

ENTITY   : APPROPRIATION-FINANCIAL-DATA
PROJECT   : CDM
SHORT NAME : APPROPRIATION-FINANCIAL-DATA   PROPONENT : CERM
STATUS   : REGISTERED   STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90

      A table which computes the status of an APPROPRIATION based on the
      fiscal year appropriated and the stated longevity of the funds.

*** APPROPRIATION-BASIC-SYMBOL-CODE

      The basic symbol as defined by regulation which uniquely identifies
      an APPROPRIATION. It is the last four digits of the APPROPRIATION.

      SHORT NAME: PROPONENT: TYPE: KEY
      FIELD LENGTH: 4   FORMAT: CHAR   FOREIGN
      DOMAIN NAME: APPROPRIATION-BASIC-SYMBOL-CODE

*** APPROPRIATION-LIMITATION-CODE

      The code which breaks down an APPROPRIATION for specific purposes.
      It is a suffix to the basic symbol.

      SHORT NAME: PROPONENT: TYPE: KEY
      FIELD LENGTH: 5   FORMAT: CHAR   FOREIGN
      DOMAIN NAME: APPROPRIATION-LIMITATION-CODE

*** DEPARTMENT-CODE

      The code which indicates the DEPARTMENT or agency responsible for
      administering an APPROPRIATION.

      SHORT NAME: PROPONENT: TYPE: KEY
      FIELD LENGTH: 2   FORMAT: CHAR   FOREIGN
      DOMAIN NAME: DEPARTMENT-CODE

*** APPROPRIATION-FINANCIAL-DATA-FISCAL-YEAR

      The fiscal year a specific APPROPRIATION was appropriated and/or
      is available for obligation.

      SHORT NAME: PROPONENT: TYPE: KEY
      FIELD LENGTH: 4   FORMAT: NUM   NATIVE
      DOMAIN NAME: YEAR

*** APPROPRIATION-STATUS-CODE

      A code used to designate the status of an APPROPRIATION as either
      unexpired, expired or merged and its pending disposition at fiscal
      year end.

      SHORT NAME: PROPONENT: TYPE: NON-KEY
      FIELD LENGTH: 1   FORMAT: CHAR   FOREIGN
      DOMAIN NAME: APPROPRIATION-STATUS-CODE

*** APPROPRIATION-FINANCIAL-DATA-DURATION

      The number of years that an APPROPRIATION remains unexpired.

      SHORT NAME: PROPONENT: TYPE: NON-KEY
      FIELD LENGTH: 2   FORMAT: NUM   NATIVE
      DOMAIN NAME: YEARS-DURATION

*** APPROPRIATION-FINANCIAL-DATA-MERGED-DATE

The first day of the fiscal year in which an APPROPRIATION merges and
becomes unavailable for obligation; merged funds remain available
for disbursement of liabilities previously charged to the unmerged
APPROPRIATION.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 9   FORMAT: DATE   NATIVE
DOMAIN NAME: CALENDAR-DATE

*** APPROPRIATION-FINANCIAL-DATA-OBLIGATION-ADJUSTMENT-EXPIRATION-DATE

The last day of the fiscal year in which an expired APPROPRIATION can
be used for obligational adjustments that are within the original
scope of the work requirement.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 9   FORMAT: DATE   NATIVE
DOMAIN NAME: CALENDAR-DATE

*** APPROPRIATION-FINANCIAL-DATA-OBLIGATION-EXPIRATION-DATE

The last day of the fiscal year in which unexpired APPROPRIATIONs can
be used for obligations.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 9   FORMAT: DATE   NATIVE
DOMAIN NAME: CALENDAR-DATE

*** APPROPRIATION-FINANCIAL-DATA-TRANSFER-DEPARTMENT-CODE

The department code from which funds are transferred.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 2   FORMAT: CHAR   NATIVE
DOMAIN NAME: DEPARTMENT-CODE

ENTITY   : APPROPRIATION-LIMITATION
PROJECT   : CDM
SHORT NAME : APPROPRIATION-LIMITATION   PROPONENT : CERM
STATUS   : REGISTERED   STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90

      A table of codes with asociated names used to specify the limitations
      that could be applicable to an APPROPRIATION.

*** APPROPRIATION-LIMITATION-CODE

      The code which breaks down an APPROPRIATION for specific purposes.
      It is a suffix to the basic symbol.

      SHORT NAME: PROPONENT: TYPE: KEY
      FIELD LENGTH: 5   FORMAT: CHAR   NATIVE
      DOMAIN NAME: APPROPRIATION-LIMITATION-CODE

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

```
ENTITY     : APPROPRIATION-RESTRICTION
PROJECT    : CDM
SHORT NAME : APPROPRIATION-RESTRICTION       PROPONENT : CERM
STATUS     : REGISTERED      STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90
```

A table which specifies the restriction codes which apply to each
valid combination of basic symbol and limitation.

*** APPROPRIATION-BASIC-SYMBOL-CODE

The basic symbol as defined by regulation which uniquely identifies
an APPROPRIATION. It is the last four digits of the APPROPRIATION.

```
   SHORT NAME:                         PROPONENT:              TYPE: KEY
   FIELD LENGTH: 4                       FORMAT: CHAR              FOREIGN
   DOMAIN NAME: APPROPRIATION-BASIC-SYMBOL-CODE
```

*** APPROPRIATION-LIMITATION-CODE

The code which breaks down an APPROPRIATION for specific purposes.
It is a suffix to the basic symbol.

```
   SHORT NAME:                         PROPONENT:              TYPE: KEY
   FIELD LENGTH: 5                       FORMAT: CHAR              FOREIGN
   DOMAIN NAME: APPROPRIATION-LIMITATION-CODE
```

*** VALID-APPROPRIATION-RESTRICTION-CODE

A code that identifies restrictions on an appropriation.

```
   SHORT NAME:                         PROPONENT:              TYPE: KEY
   FIELD LENGTH: 5                       FORMAT: CHAR              FOREIGN
   DOMAIN NAME: VALID-APPROPRIATION-RESTRICTION-CODE
```

ENTITY   : APPROPRIATION-STATUS
PROJECT   : CDM
SHORT NAME : APPROPRIATION-STATUS   PROPONENT : CERM
STATUS   : REGISTERED   STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90

        A table which lists the status codes, stages (i.e., unexpired,
        expired, merged) and descriptions which apply to APPROPRIATIONs
        based on the fiscal year appropriated.

*** APPROPRIATION-STATUS-CODE

        A code used to designate the status of an APPROPRIATION as either
        unexpired, expired or merged and its pending disposition at fiscal
        year end.

        SHORT NAME: PROPONENT: TYPE: KEY
        FIELD LENGTH: 1   FORMAT: CHAR   NATIVE
        DOMAIN NAME: APPROPRIATION-STATUS-CODE

*** APPROPRIATION-STATUS-DESCRIPTION

        A DESCRIPTION of the meaning of an APPROPRIATION status code as it
        relates to the APPROPRIATION's disposition at fiscal year end.

        SHORT NAME: PROPONENT: TYPE: NON-KEY
        FIELD LENGTH: 39   FORMAT: CHAR   NATIVE
        DOMAIN NAME: CHARACTER-39

*** APPROPRIATION-STATUS-STAGE-CODE

        The name which indicates the status of an APPROPRIATION as unexpired,
        expired or merged.

        SHORT NAME: PROPONENT: TYPE: NON-KEY
        FIELD LENGTH: 9   FORMAT: CHAR   NATIVE
        DOMAIN NAME: APPROPRIATION-STATUS-STAGE

```
ENTITY      : AUTHORITY
PROJECT     : CDM
SHORT NAME  : AUTHORITY              PROPONENT : DACC
STATUS      : REGISTERED    STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90
```

The real or perceived "right" to make a decision, sign a given document, direct or command something be done.

*** AUTHORITY-IDENTIFIER

A unique identifier for the authority.

SHORT NAME:	PROPONENT:	TYPE: KEY
FIELD LENGTH: 20	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-20		

*** AUTHORITY-EFFECTIVE-DATE

The date (day, month, and year) on which authority is granted, e.g., for a project.)

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 9	FORMAT: DATE	NATIVE
DOMAIN NAME: CALENDAR-DATE		

*** AUTHORITY-NAME

The name of the authority; for example, for a project. Authority is given, e.g., by signed documents, a directive or command, or by decision.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 39	FORMAT: CHAR	NATIVE
DOMAIN NAME: CHARACTER-39		

*** AUTHORITY-RECEIPT-DATE

The date (day, month, and year) on which the person, e.g., responsible for a project, receives notification that a project has been authorized.

SHORT NAME:	PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: 9	FORMAT: DATE	NATIVE
DOMAIN NAME: CALENDAR-DATE		

*** AUTHORITY-TEXT

Accompanying text for authorization, e.g., for a project.

SHORT NAME:		PROPONENT:	TYPE: NON-KEY
FIELD LENGTH: VAR	TYPE: TEXT	FORMAT: CHAR	NATIVE
DOMAIN NAME: LONG-TEXT			

···

ENTITY   : BULK
PROJECT   : CDM
SHORT NAME : BULK   PROPONENT : CERM
STATUS   : REGISTERED   STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90

        An aggregate expressed in dollars of all standard resources used to
        accomplish Corps work. Bulk is a type of RESOURCE and more data about
        it can be found in its generalization, RESOURCE.

*** RESOURCE-CODE

        A code which identifies a RESOURCE used to accomplish the Corps
        mission. The code may identify a standard RESOURCE type of any
        component in a breakdown thereof, e.g., manner.

        SHORT NAME: PROPONENT: TYPE: KEY
        FIELD LENGTH: 10   FORMAT: CHAR   FOREIGN
        DOMAIN NAME: RESOURCE-CODE